Sarch history

| | | 20101 1131 | '` · ∧ | |
|-------------|------|---|--|---------------------|
| L Number | Hits | Search Text | DB | Time stamp |
| 1 | 5558 | <pre>@ad<20010118 and ((internet adj protocol) or IP) with address and (threshold or watermark or boundary or ceiling or floor or limit)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/08 09:28 |
| 2 | 662 | <pre>@ad<20010118 and ((internet adj protocol) or IP) with address same (threshold or watermark or boundary or ceiling or floor or limit)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/08 09:28 |
| 3 | 123 | <pre>@ad<20010118 and ((internet adj protocol) or IP) with address same (threshold or watermark or boundary or ceiling or floor or limit) and pool</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/08 09:33 |
| 6 | 24 | @ad<20010118 and ((internet adj protocol) or IP) with address same (threshold or watermark or boundary or ceiling or floor or limit) same pool | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/08 |
| 7 | 16 | <pre>@ad<20010118 and ((internet adj protocol) or IP) with pool same (threshold or watermark or boundary or ceiling or floor or limit) same pool</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/08 09:40 |
| 8 | 16 | <pre>@ad<20010118 and ((internet adj protocol) or IP) with pool same (threshold or watermark or boundary or ceiling or floor or limit)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/08 |
| 9 | 16 | <pre>@ad<20010118 and ((internet adj protocol) or IP) with pool same (threshold or watermark or boundary or ceiling or floor or limit)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/08 09:41 |
| 10 | 21 | @ad<20010118 and 709/226.ccls. and ip with pool | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/08 09:43 |
| 11 | 4040 | @ad<20010118 and 709/226.ccls. or 709/224.ccls. or 709/223.ccls. and ip with pool | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/08 |
| 12 | 43 | @ad<20010118 and (709/226.ccls. or 709/224.ccls. or 709/223.ccls.) and ip with pool | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/08 09:43 |
| 13 | 30 | @ad<20010118 and (709/226.ccls. or 709/224.ccls. or 709/223.ccls.) and ip with pool and (threshold or boundary or limit or watermark) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/08 10:41 |
| 18 | 5 | @ad<20010118 and (709/226.ccls. or 709/224.ccls. or 709/223.ccls.) and ip with pool and (threshold or lower with limit or watermark or floor) and minimum | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/08 |
| 19 | 25 | @ad<20010118 and ip with pool and (threshold or lower with limit or watermark or floor) and minimum | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/08 |
| 20 | 0 | @ad<20010118 and ip with pool same minimum and (threshold or lower with limit or watermark or floor) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/08 |

Search History

9/8/04 11:06:58 AM

| 21 | 7 | @ad<20010118 and ip with pool and | USPAT; | 2004/09/08 |
|----|------|--|---|---------------------|
| | | (threshold or lower with limit or | US-PGPUB; | 10:50 |
| | | watermark or floor) same minimum | EPO; JPO; | |
| | | | DERWENT; | |
| Ì | 1 | 0 1 000000110 1 0 11 TD | IBM_TDB | 2004/09/07 |
| _ | 1482 | @ad<20010118 and manag\$ with IP with | USPAT; | 1 |
| | 1 | addresses | US-PGPUB; | 10:02 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | A | IBM_TDB | 2004/00/07 |
| - | 37 | @ad<20010118 and manag\$ with IP with | USPAT; | 2004/09/07 10:06 |
| | | addresses with pool | US-PGPUB; | 10:00 |
| | | | EPO; JPO; DERWENT; | |
| } | | | IBM TDB | Ì |
| | | @ad<20010118 and manag\$ and local same IP | USPAT; | 2004/09/07 |
| - | 8 | with addresses with pool and global same | US-PGPUB; | 11:13 |
| | | IP with addresses with pool | EPO; JPO; | 11.13 |
| | | TP With addresses with poor | DERWENT; | 1 |
| | | | IBM TDB | |
| | 3 | @ad<20010118 and local with allocat\$ with | USPAT; | 2004/09/07 |
| - | ا ع | address with pool and global with address | US-PGPUB; | 11:16 |
| İ | | with pool | EPO; JPO; | |
| | | wren boot | DERWENT; | |
| | | | IBM TDB | |
| _ | 0 | @ad<20010118 and (manag\$ or allocat\$) | USPAT; | 2004/09/07 |
| _ | ' | with IP with address and local with pool | US-PGPUB; | 11:17 |
| | | with database and global with pool with | EPO; JPO; | 11/1/ |
| | | database | DERWENT; | |
| | | database | IBM TDB | |
| | 0 | @ad<20010118 and local with pool with | USPAT; | 2004/09/07 |
| - | | database and global with pool with | US-PGPUB; | 11:17 |
| | | database and global with pool with | EPO; JPO; | |
| | | database | DERWENT; | |
| | | | IBM TDB | |
| _ | 84 | @ad<20010118 and pool with IP with | USPAT; | 2004/09/07 |
| | "" | address and local and global | US-PGPUB; | 11:17 |
| | | addiess and roods and growns | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | ! |
| _ | 1 8 | @ad<20010118 and pool with IP with | USPAT; | 2004/09/07 |
| | _ | address and local and global same | US-PGPUB; | 11:19 |
| | | database | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 84 | @ad<20010118 and pool with IP with | USPAT; | 2004/09/07 |
| | | address and local and global | US-PGPUB; | 11:20 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| 1 | | | IBM_TDB | |
| - | 13 | @ad<20010118 and pool with IP with | USPAT; | 2004/09/07 |
| 1 | | address and local same pool and global | US-PGPUB; | 11:34 |
| 1 | | same pool | EPO; JPO; | |
| | | | DERWENT; | |
| 1 | | | IBM_TDB | 0004/00/07 |
| - | 829 | | USPAT; | 2004/09/07 |
| | | (IP or (Internet adj Protocol)) with | US-PGPUB; | 16:08 |
| | | address | EPO; JPO; | |
| | | | DERWENT; | |
| İ | _ | 0 1:00010110 and (more and critical ATD and | IBM_TDB USPAT; | 2004/09/07 |
| - | 0 | | US-PGPUB; | 11:35 |
| | | (Internet adj Protocol)) with address and | EPO; JPO; | 11.33 |
| | | allocat\$ | DERWENT; | |
| | | | IBM TDB | |
| | | @ad<20010118 and allocat\$ with (IP or | USPAT; | 2004/09/07 |
| - | 552 | (Internet adj Protocol)) with address and | US-PGPUB; | 11:35 |
| | | (Internet adj Protocol)) with address and manage\$ | EPO; JPO; | |
| | | matrages | DERWENT; | |
| | | | IBM TDB | 1 |
| 1 | 1 | | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | . I |

| | | | | 0004/00/00 |
|---|---------|---|--|---------------------|
| - | 185 | <pre>@ad<20010118 and allocat\$ with (IP or (Internet adj Protocol)) with address and manage\$ and pool</pre> | USPAT; US-PGPUB; EPO; JPO; | 2004/09/07 11:35 |
| | | | DERWENT; IBM_TDB | 2004/00/07 |
| - | 134 | <pre>@ad<20010118 and allocat\$ with (IP or (Internet adj Protocol)) with address and manage\$ and pool and database</pre> | USPAT; US-PGPUB; EPO; JPO; | 2004/09/07 11:35 |
| | 114 | @ad<20010118 and allocat\$ with (IP or | DERWENT; IBM_TDB USPAT; | 2004/09/07 |
| _ | 114 | (Internet adj Protocol)) with address and manage\$ and pool and database and (update or reallocat\$) | US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 11:36 |
| _ | 0 | <pre>@ad<20010118 and allocat\$ with (IP or (Internet adj Protocol)) with address and manage\$ and pool and database and (update or reallocat\$) same poo</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/07 11:36 |
| _ | 3115470 | 1 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; | 2004/09/07 11:36 |
| | 13 | <pre>@ad<20010118 and allocat\$ with (IP or (Internet adj Protocol)) with address and manage\$ and pool and database and (update or reallocat\$) same pool</pre> | DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/07 13:43 |
| - | 7 | @ad<20010118 and allocat\$ with (IP or (Internet adj Protocol)) with address and manage\$ and pool and database and (update or reallocat\$) same pool and global | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/07 11:40 |
| - | 0 | @ad<20010118 and local with database with pool and global with database with pool | IBM_TDB USPAT; US-PGPUB; EPO; JPO; | 2004/09/07 13:43 |
| - | 2 | @ad<20010118 and local with pool same database and global with pool same database | DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/07 13:47 |
| - | 0 | @ad<20010118 and local with database and global with database and (manag\$ or allocat\$) with pool with address | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/07 |
| - | 33 | @ad<20010118 and local with database and global with database and pool with address | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/07 13:53 |
| - | 123 | @ad<20010118 and local with database and global and (manag\$ or allocat\$) with (IP or (internet adj protocol)) with address | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/07 13:53 |
| _ | 24 | @ad<20010118 and local with database with address and global and (manag\$ or allocat\$) with (IP or (internet adj protocol)) with address | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/09/07 14:55 |
| _ | 3 | | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/07 13:55 |

| _ | 0 | @ad<20010118 and local with address with | USPAT; | 2004/09/07 |
|-----|-------|---|-----------|---------------|
| | l | pool and maximum with address and | US-PGPUB; | 14:56 |
| | | (threshold or watermark) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 212 | @ad<20010118 and address with pool and | USPAT; | 2004/09/07 |
| | | (threshold or watermark) | US-PGPUB; | 14:56 |
| | | • | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| | 28 | @ad<20010118 and address with pool same | USPAT; | 2004/09/07 |
| - | 20 | | US-PGPUB; | 15:01 |
| | | (threshold or watermark) | | 13.01 |
| | | | EPO; JPO; | · |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 4 | | USPAT; | 2004/09/07 |
| | | ((internet adj protocol) or IP)same | US-PGPUB; | 15:05 |
| | | (threshold or watermark) | EPO; JPO; | |
| | | , | DERWENT; | |
| | | | IBM TDB | |
| | 3 | @ad<20010118 and (re\$allocat\$ or | USPAT; | 2004/09/08 |
| _ | 3 | | US-PGPUB; | 09:27 |
| | | re-allocat\$) with ((internet adj | EPO; JPO; | 05.47 |
| | | protocol) or IP) with address and | | |
| | | (threshold or watermark) | DERWENT; | |
| | | | IBM_TDB | 0004/00/07 |
| - | 2 | ("6052725").PN. | USPAT; | 2004/09/07 |
| | | | US-PGPUB; | 15:29 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| _ | 304 | @ad<20010118 and ip with pool | USPAT; | 2004/09/07 |
| |] 504 | edd (20010110 and 1p with pool | US-PGPUB; | 16:08 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| | | 0.3.000000000 | | 2004/09/07 |
| - | 63 | 1 | USPAT; | |
| | | and maximum | US-PGPUB; | 16:08 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 52 | | USPAT; | 2004/09/07 |
| | 1 | and maximum and (threshold or watermark | US-PGPUB; | 16:09 |
| | | or limit or boundary) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| | 2 | @ad<20010118 and ip with pool and minimum | USPAT; | 2004/09/07 |
| _ | 3 | same ip with address and maximum same ip | US-PGPUB; | 16:15 |
| | | with address and (threshold or watermark | EPO; JPO; | 1 - 3 - 1 - 3 |
| | | | | |
| | | or limit or boundary) | DERWENT; | |
| İ | | | IBM_TDB | 2004/00/07 |
| _ | 9 | | USPAT; | 2004/09/07 |
| | | same address and maximum same address | US-PGPUB; | 16:20 |
| ļ | | , | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| l _ | 9 | @ad<20010118 and (ip or (internet adj | USPAT; | 2004/09/07 |
| - | | protocol)) with pool and minimum same | US-PGPUB; | 16:21 |
| | | address and maximum same address | EPO; JPO; | |
| | | address and maximum same address | DERWENT; | |
| 1 | | | | |
| I | | | IBM TDB | 1 |